UNITED STATES DISTRICT COURT FOR THE EASTERN DISTRICT OF PENNSYLVANIA

MELODY DAVIS 28 Wallace Drive Delmar, NY 12054

NO. 2:15-CV-00922 WY

٧.

:

LIBERTY INSURANCE CORPORATION 175 Berkeley Street Boston, MA 02117

AMENDED COMPLAINT

- 1. Plaintiff, MELODY DAVIS is an adult individual residing at the address as set forth above.
- 2. Defendant, LIBERTY INSURANCE CORPORATION is a corporation duly organized and existing which is licensed to issue policies of insurance in the Commonwealth of Pennsylvania and maintains its principal place of business at the address set forth above. Defendant regularly conducts business in the City and County of Philadelphia.
- 3. At all times material hereto, Defendant was acting by and through its duly authorized agents, servants, workmen or employees who were acting within the course and scope of their employment and on the business of said employers.
- 4. Defendant in its regular course of business, issued to Plaintiff a policy of insurance, policy number H3728866259070, covering Plaintiff's premises located at 2216 Logan Street, Camp Hill, PA 17011. Plaintiff is not in possession of the entire policy and it is alleged that said policy is in the possession of Defendant.
- 5. On or about May 4, 2014, while said policy of insurance was in full force and effect, Plaintiff suffered a sudden and accidental direct physical loss to the insured

premises resulting in damage to the insured premises in those areas and to the extent set forth in the estimate of Summit Public Adjusters, Inc. (hereinafter "Summit") a true and correct copy of which is attached hereto, made part hereof, and marked Exhibit "A". Plaintiff also sustained loss of rental income in the amount of \$1,650 per month for a period of approximately five (5) months.

- 6. Notice of Plaintiff's covered loss was given to Defendant in a prompt and timely manner and Plaintiff has done and otherwise performed all things required of Plaintiff under the policy of insurance issued by Defendant, including cooperating with Liberty's investigation; mitigating damages where reasonable, required and/or possible; providing Defendant with all available information and complying with all conditions precedent.
- 7. Defendant, despite demand for benefits under its policy of insurance has failed and refused to pay to Plaintiff the benefits due and owing under said policy of insurance.
- 8. As a direct result of Defendant's failure and refusal to pay benefits to Plaintiff as required under the aforementioned policy of insurance, as well as the mishandling of Plaintiff's claim, Plaintiff has suffered loss and damage in an amount not in excess of \$50,000.00.
- 9. Defendant has breached its contractual obligations to pay benefits to Plaintiff for a loss covered under Defendant's policy of insurance.

WHEREFORE, Plaintiff demands judgment against Defendant in an amount not in excess of \$50,000.00 together with interest and costs.

CLAIMS WORLDWIDE, LLC

RV.

STEVEN C. FEINSTEIN, ESQUIRE

Attorney for Plaintiff

Date: October 7, 2015

EXHIBIT "A"



Report Date: 8/30/2014 File No. 14216

Charge				File No. 14	<u> 216 </u>
### Camp Hill, PA 17011 ### Building ### Miscellaneous ### Accesses ### 2216 Logan Street Camp Hill, PA 17011 ### 2216 Logan Street Camp Hill, PA 170	Contractor		Address		FAX
Building Miscellaneous Departion Qty Unit Description Charge 1 Final construction clean-up, minimum 425.00 Final Construction Co			2216 Logan Street		FAX
Miscellaneouts	Bullding Address	T Talkelon announce	2216 Logan Street		
Operation Qty Unit Description Cost E	Building				
Final construction clean-up, minimum	Miscellaneous				
Charge	Operation	Of Unit	Description	Cost	Extension
Fee	•	-	·	=	425.00
Treat	•	•			
Minimum					450.00
Miscellaneous Totals:			· · · · · · · · · · · · · · · · · · ·		120.00
Bedroom Floor 22 SY Wall 412 SF Ceiting 198 SF Floor Perlm. 57.5 FT Ceiting Perlm. 57.5 FT Room-standard-1 Length 13.00 FT, Width 12.75 FT, Height 8.00 FT, Oty of Offsets 1 Operation Cty Unit Description Cost EMinimum 1 EA Move and cover room contents, average 141.00 Mask 1 EA Mask room, large 43.86 Note: floors Rem & Reinstall 1 EA Ceiling fan with light, standard grade 110.41 Remove 198 SF Blown mineral wool insulation, R30 (10" deep) 0.55 Replace 198 SF Blown mineral wool insulation, R30 (10" deep) 1.96 Note: ceiling Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 54.00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 59.8 LF Cove, 1", paint-grade pine 0.27 Replace 59.8 LF Cove, 1", paint-grade pine 0.27 Replace 198 SF Plank flooring, Red oak, #1 common grade 11.99 Bedroom Totals:			valer extraction work minimum, Standard	280.75	280.75
Floor 22 SY Wall 412 SF Ceiling 198 SF Floor Perlm. 57.5 FT Ceiling Perlm. 57.5 FT Room-standard-1 Control of Set standard-1 Coperation City Unit Description Cost E Minimum 1 EA Move and cover room contents, average 141.00 Minimum 1 EA Mask room, large 43.86 Note: floors Rem & Reinstall 1 EA Ceiling fan with light, standard grade 110.41 Remove 198 SF Blown mineral wool insulation, R30 (10" deep) 1.96 Note: ceiling Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3.046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.27 Replace 59.8 LF Cove, 1", paint-grade pine 2.29 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak, #1 common grade 1.99 Bedroom Totals:	Miscellaneous T	otals:			1,275.75
Room-standard-1 Length 13.00 FT, Width 12.75 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Depth 3.00 FT, Height 8.00 FT Width 10.75 FT, Height 8.00 FT Width 10.75 FT, Height 8.00 FT Width 10.75 FT, Height 8.00 FT, Depth 9.00 F	Bedroom			1 3 10 marsh 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Offset-standard-1 Width 10.75 FT, Depth 3.00 FT, Helght 0.00 FT, Qty of Offsets 1 Operation Qty Unit Description Cost E Minimum 1 EA Move and cover room contents, average 141.00 Mask 1 EA Mask room, large 43.86 Note: floors Rem & Reinstall 1 EA Celling fan with light, standard grade 110.41 Remove 198 SF Blown mineral wool insulation, R30 (10" deep) 0.55 Replace 198 SF Blown mineral wool insulation, R30 (10" deep) 1.96 Note: ceiling Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 553.85 Replace 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 0.90 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.27 Remove 57.5 LF					
Minimum 1 EA Move and cover room contents, average 141.00 Mask 1 EA Mask room, large 43.86 Note: floors Rem & Reinstall 1 EA Celling fan with light, standard grade 110.41 Rem & Reinstall 1 EA Celling fan with light, standard grade 110.41 Remove 198 SF Blown mineral wool insulation, R30 (10" deep) 0.55 Replace 198 SF Blown mineral wool insulation, R30 (10" deep) 1.96 Note: ceiling Remove 1.96 Note: ceiling Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 53.85 Replace 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 0.90 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Cove, 1", paint-grade pine 0.27 Replace 59.8 LF Cove, 1", paint-grade pine <td< td=""><td></td><td>-</td><td></td><td></td><td></td></td<>		-			
Mask 1 EA Mask room, large 43.86 Note: floors Rem & Reinstall 1 EA Celling fan with light, standard grade 110.41 Remove 198 SF Blown mineral wool insulation, R30 (10" deep) 0.55 Replace 198 SF Blown mineral wool insulation, R30 (10" deep) 1.96 Note: ceiling Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 553.85 Replace 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 54.00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade plne 0.27 Replace 59.8 LF Cove, 1", paint-grade plne 2.29 Paint 117 LF Wood trim, simple design, 2 coats 1.32 Remove 198 SF Plank f	•	•	•		Extension
Note: floors Rem & Reinstall 1 EA Celling fan with light, standard grade 110.41 Remove 198 SF Blown mineral wool insulation, R30 (10" deep) 0.55 Replace 198 SF Blown mineral wool insulation, R30 (10" deep) 1.96 Note: ceiling Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 553,85 Replace 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 54,00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade pine 0.27 Replace 59.8 LF Cove, 1", paint-grade pine 2.29 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals:					141.00
Rem & Reinstall 1 EA Celling fan with light, standard grade 110.41 Remove 198 SF Blown mineral wool insulation, R30 (10" deep) 0.55 Replace 198 SF Blown mineral wool insulation, R30 (10" deep) 1.96 Note: ceiling Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 553.85 Replace 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 54.00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Cove, 1", paint-grade plne 0.27 Replace 59.8 LF Cove, 1", paint-grade plne 0.27 Replace 59.8 LF Cove, 1", paint-grade plne 0.229 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak, #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak, #1 common grade 11.99 Bedroom Totals:		1 EA	Mask room, large	43.86	43.86
Remove 198 SF Blown mineral wool insulation, R30 (10" deep) 0.55 Replace 198 SF Blown mineral wool insulation, R30 (10" deep) 1.96 Note: ceiling Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 553.85 Replace 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 54.00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade pine 0.27 Replace 59.8 LF Cove, 1", paint-grade pine 2.29 Paint 117 LF Wood trim, simple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak, #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak, #1 common grade 11.99 Bedroom Totals:	Rem & Reinstall	1 EA	Celling fan with light, standard grade	110.41	110.4
Replace 198 SF Blown mineral wool insulation, R30 (10" deep) 1.96 Note: ceiling Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 553.85 Replace 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel , 2 coats 54.00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade pine 0.27 Replace 59.8 LF Cove, 1", paint-grade pine 2.29 Paint 117 LF Wood trim, simple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals:					108.90
Remove 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 553.85 Replace 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 54.00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade plne 0.27 Replace 59.8 LF Cove, 1", paint-grade plne 2.29 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals:	•				388.08
Replace 1 SF Acoustical plaster, Three coats on painted metal lath, on ceiling 3,046.15 Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 54.00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade plne 0.27 Replace 59.8 LF Cove, 1", paint-grade plne 2.29 Paint 117 LF Wood trim, simple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak, #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak, #1 common grade 11.99 Bedroom Totals: Subtotal 9.	_	1 SF	Acoustical plaster. Three costs on painted metal lath, on ceiling	553.85	553.85
Paint 610 SF Drywall or Plaster, 2 coats 0.90 Paint 1 LF Door, Panel, 2 coats 54.00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade plne 0.27 Replace 59.8 LF Cove, 1", paint-grade plne 2.29 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak, #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak, #1 common grade 11.99 Bedroom Totals: Subtotal 9.					3,046.1
Paint 1 LF Door, Panel , 2 coats 54.00 Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade plne 0.27 Replace 59.8 LF Cove, 1", paint-grade plne 2.29 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals: Subtotal 9 Overhead	•			•	549.00
Remove 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 0.74 Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade plne 0.27 Replace 59.8 LF Cove, 1", paint-grade plne 2.29 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals: Subtotal 9.					54.00
Replace 57.5 LF Base Molding, Pattern base, 5", finger-joint pine 4.59 Remove 57.5 LF Cove, 1", paint-grade pine 0.27 Replace 59.8 LF Cove, 1", paint-grade pine 2.29 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals: Subtotal 9.					42.5
Remove 57.5 LF Cove, 1", paint-grade pline 0.27 Replace 59.8 LF Cove, 1", paint-grade pline 2.29 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals: Subtotal 9 Overhead					263.92
Replace 59.8 LF Cove, 1", paint-grade plne 2.29 Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals: Subtotal 9 Overhead					15.52
Paint 117 LF Wood trim, stmple design, 2 coats 1.32 Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals: Subtotal 9 Overhead					136.94
Remove 198 SF Plank flooring, Red oak , #1 common grade 0.47 Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals: Subtotal 9 Overhead					154.4
Replace 198 SF Plank flooring, Red oak , #1 common grade 11.99 Bedroom Totals: Subtotal 9. Overhead					93.06
Subtotal 9.	Replace				2,374.02
Overhead	Bedroom Totals	3:			8,075.70
				Subtotal	9,351.45
Profit				Overhead	935.15
				Profit	935.15
Bullding Total: 11				Bullding Total:	11,221.75



Report Date: 8/30/2014 File No. 14216

Loss of Rent / Income					
Miscellaneou	S				
Operation Charge Note: specif	Qty Unit Description 1 LF Loss of Rent / Income, minimum ic dates and time span yet to be determined	Cost _ 0.00	Extension 0.00		
Miscellaneous	Totals:		0.00		
		Loss of Rent / Income Total:	0,00		

EstImate based upon scope and discussion with Insured at initial inspection regarding damages. This estimate may be subject to additions or deletions after inspection with Insurance Company. In some instances damages may worsen or be aleviated due to drying. Some items include, i.e. roofing, slding, painting, flooring includes areas of continuation due to matching or non availability of items. Carpet and or carpet pad replacement may be included due to grey or black water exposure. Any remediation bills attached to this estimate may be paid direct to the service provider. Any discrepencies with any attached bills should be directed to the contractor. If containment barriers are included in this estimate it is based upon EPA guidelines for lead containment, saftey barriers and removal.